

## LAS-SD-Z SeaHawk Spot Detector

### Product Specification Sheet



### General


SeaHawk Spot Detectors can be integrated into an alarm monitoring system. Spot detectors are ideal for small spaces, and are the most economical way to detect fluids in confined areas, such as condensation drip pans.

The Spot Detector simulates 15.24 m of SeaHawk water leak detection cable (sensing cable).

### Benefits

- Nothing to rust or corrode
- Ensures functionality when submerged in water
- Easily adjusted to desired height
- Simple installation
- Ideal for tight areas

### Installation Example



### Features

- No exposed metal sensing posts
- Potted electronics
- Adjustable probes
- Can be screwed or rammed to floor or baseboard
- Small footprint/enclosure

### Technical Specifications

<b>Length</b>	410 mm; male & female connector
<b>Connections</b>	Compatible with SeaHawk sensing cable (not included) AMP 4-pin circular receptacle
Number of conductors	4
Nominal insulation thickness	0.15 mm
Nominal jacket thickness	0.25 mm
Nominal outer diameter	3.07 mm
<b>Operating Environment</b>	
<b>Temperature</b>	0 °C to 50 °C
<b>Humidity</b>	5% to 95% RH, non-condensing
<b>Altitude</b>	4500 m max.
<b>Storage Environment</b>	-20 °C to 70 °C
<b>Dimensions (H x W x D)</b>	25.4 mm x 50.8 mm x 39.4 mm
<b>Weight</b>	93 g
<b>Certifications</b>	CE; RoHS compliant

**Environmental and Combustion Controls**

Honeywell GmbH  
Hardhofweg  
74821 MOSBACH  
GERMANY  
Phone: (49) 6261 810  
Fax: (49) 6261 81309  
<http://ecc.emea.honeywell.com>

Manufactured for and on behalf of the  
Environmental and Combustion Controls Division  
of Honeywell Technologies Sàrl, Z.A. La Pièce16,  
1180 Rolle, Switzerland by its Authorised Repre-  
sentative Honeywell GmbH  
EN0H-1607GE23 R0515  
Subject to change without notice  
© 2015 Honeywell GmbH

**Honeywell**