


Braukmann

DWC 7000


Hauswasserstation • Domestic water centre • Gruppo compatto d'adduzione dalla rete idrica domestic


Quick Start Manual

Benötigte Werkzeuge • Required tools • Attrezzi necessari






Wandmontage • Wall mounting • Montaggio a parete











3 a



4




3 b




Anschluss umbauen auf Versorgung von rechts
Conversion of the drinking water inlet from the left supply to right supply
Conversione del collegamento all'alimentazione da destra



1



2




*) Nur bei DWC7000-1AA und DWC7000-1AAHR
Only at DWC7000-1AA and DWC7000-1AAHR
Solo per DWC7000-1AA e DWC7000-1AAHR




*) Nur bei DWC7000-1AA und DWC7000-1AAHR
Only at DWC7000-1AA and DWC7000-1AAHR
Solo per DWC7000-1AA e DWC7000-1AAHR

Gefilterten, ungeminderten Abgang auf druckgeminderten Versorgungsabgang umbauen*
Conversion of the filtered and non-reduced outlet to the filtered and pressure reduced outlet*
Conversione da attacco filtrato e non ridotto ad attacco di alimentazione a pressione ridotta*




*) Nur bei DWC7000-1AA und DWC7000-1AAHR
Only at DWC7000-1AA and DWC7000-1AAHR
Solo per DWC7000-1AA e DWC7000-1AAHR

Filterkombination ausrichten
Adjusting of the filter combination
Regolazione del filtro combinato



*) Nur bei DWC7000-1AA und DWC7000-1AAHR
Only at DWC7000-1AA and DWC7000-1AAHR
Solo per DWC7000-1AA e DWC7000-1AAHR

65 - 115 mm



Verbindungen nach Justage
wieder anziehen.
After the adjustment all
connections must be tightened
Dopo la regolazione serrare
nuovamente i collegamenti.

Isolation freischneiden
Cutting of the insulation shell
Tagliare il materiale isolante

